## **List of Wild Mushroom Species Approved for Sale**

## Ranking

### 1- easy to identify and prepare

# 2 – caution in identifying, requires special care in preparing

## 3 – only expert identifiers can collect, multiple steps to prepare for eating

#### **Edible Mushrooms for Cooking** Ranking Comments Latin Common Other Binomial <u>name</u> common names and comments Agaricus Horse Pink bottom, 1 Look-alikes: A. mushroom field Xanthodermus (yellow), arvensis mushroom Lepiotaceae and Amanitaceae Agaricus Meadow (white spored) mushroom campestris Complex of species 2 Needs to be cooked Armillaria Includes A. Honey mellea complex mushroom mellea and A. thoroughly, boil 5 minutes ostoye Do not collect from conifers, okay from hardwoods Boletus bicolor Two color 3 Caution for identification, must bolete be distinguished from lookalikes Boletus edulis Porcini, king 2 Cep bolete Dark-Calvatia 1 should be purple spored cyathiformis spored puffball puffball Calvatia Giant 1 bland for restaurant use but puffball may be found at farmers gigantea markets

Cantharellus cibarius	Golden chanterelle	Chanterelle, pfifferling	1	
Coprinus comatus	Shaggy mane	Shaggy ink cap	1	Very short shelf life
Craterellus cornucopioides	Black trumpet	Horn of plenty, black chanterelle, Formerly called C. fallax	1	
Craterellus ignicolor, C. xanthopus	Yellow foot chanterelle	Flame-colored chanterelle	1	
Craterellus tubaeformis	Trumpet chanterelle	Winter chanterelle	1	Can be spelled <i>C. tubiformis</i> , some recognize <i>C. infundibuliformis</i> as a synonym
Grifola frondosa	Hen of the woods	maitake	1	
Gyroporus castaneus	Chestnut bolete		2	Caution for identification
Hericium spp. complex	Lion's mane, comb tooth	club tooth	1	Includes H. americanum, H. ramosum
Hydnum repandum Hydnum umbilicatum	Hedgehog	Sweet tooth	1	formerly <i>Dentinum repandum</i> and <i>D. umbilicatum</i>
Hypomyces lactifluorum	Lobster mushroom		1	
Laccaria ochropurpurea	Purple gilled laccaria		2	Caution for identification
Lactarius deliciosus complex	Orange latex milky	saffron milky	1	includes <i>L. thynios</i> and <i>L. deterrimus – L. deliciosus</i> is old name and the European sp.
Laetiporus	White		2	Caution, Cannot be collected from conifers. Must be

cincinnatus	pored chicken			collected young.
	mushroom			
Laetiporus sulphureus	Chicken of the woods	Sulphur shelf, chicken mushroom	2	Caution, Cannot be collected from conifers. Must be collected young.
Lepiota procera	Parasol mushroom		3	Expert to identify, requires extra training. Many similar mushrooms, poisonous Amanitas or Lepiotas can be mistaken for it.
Lepiota rachodes	Shaggy parasol		3	Expert to identify, requires extra training. Many similar mushrooms, poisonous Amanitas or Lepiotas can be mistaken for it.
Lepista nuda	Blewit		3	Caution for identification, requires extra training. Difficult to identify, can be confused with purple Cortinarius species.
Marasmius oreades	Fairy ring mushroom	faux mousseron	2	Cannot be collected from golf courses or pesticide-treated lawns, can be confused with <i>Clitocybe dialbatra</i> and <i>Inocybe umbratica</i>
Morchella elata	Black morel	Burn Morel	2	Caution for cooking: Needs to be well cooked
Morchella esculenta	Blond morel	Yellow morel	2	Caution for cooking: Needs to be well cooked
Pleurotus ostreatus	Oyster mushroom		1	
Pleurotus populinus	Oyster mushroom		1	
Polyporus squamosus	Pheasant back	Dryad's saddle	1	Useable when young and tender
Stropharia rugosoannulata	Wine cap stropharia	King stropharia	2	
Tricholoma	White	Matsutake	2	

magnivelare	matsutake						
Mushrooms for possible medicinal uses							
<u>Latin</u> <u>Binomial</u>	Common name	Other common names and comments					
Ganoderma lucidum	Ling chih / Reishi		1				
Ganoderma tsugae	Reishi	Hemlock varnish shelf	1				
Inonotus obliquus	Chaga, clinker polypore	Birch clinker	1				
Trametes versicolor	Turkey tail		2				