## Papers reviewed and found relevant to the charge

- 1. Anonymous. 2011. Retail fruit and vegetable marketing guide. <u>http://ucce.ucdavis.edu/files/datastore/234-2083.pdf</u>
- Fishburn, J.D. & Tang, Y & Frank, Joseph. (2012). Efficacy of various consumer-friendly produce washing technologies in reducing pathogens on fresh produce. Food Protection Trends. 32. 456-466.
- 3. Goodburn, C. and C.A. Wallace. 2013. The microbiological efficacy of decontamination methodologies for fresh produce: a review. *Food Control* 32: 418-427.
- 4. Jung, Yang-jin & Gao, Jingwen & Jang, Hyein & Guo, Mengqi & Matthews, Karl. (2016). Sanitizer efficacy in preventing cross-contamination during retail preparation of whole and freshcut cantaloupe. Food Control. 75. 10.1016/j.foodcont.2016.12.009.
- Jung, Yang-jin & Jang, Hyein & Guo, Mengqi & Gao, Jingwen & Matthews, Karl. (2017). Sanitizer efficacy in preventing cross-contamination of heads of lettuce during retail crisping. Food Microbiology. 64. 10.1016/j.fm.2017.01.005.
- Keskinen, A. Lindsey & Burke, Angela & Annous, Bassam. (2009). Efficacy of chlorine, acidic electrolyzed water and aqueous chlorine dioxide solutions to decontaminate Escherichia coli O157:H7 from lettuce leaves. International journal of food microbiology. 132. 134-40. 10.1016/j.ijfoodmicro.2009.04.006.
- Lopez-Galvez, F., A. Allende, M.V. Selma and M.I. Gil. 2009. Prevention of *Escherichia coli* cross-contamination by different commercial sanitizers during washing of fresh-cut lettuce. *Int. J. Food Microbiol.* 133: 167-171.
- Nou, Xiangwu & Luo, Sunny. (2010). Whole-Leaf Wash Improves Chlorine Efficacy for Microbial Reduction and Prevents Pathogen Cross-Contamination during Fresh-Cut Lettuce Processing. Journal of food science. 75. M283-90. 10.1111/j.1750-3841.2010.01630.x.
- Palma-Salgado, Sindy & J Pearlstein, Arne & Luo, Sunny & Park, Hee Kyung & Feng, Hao. (2014). Whole-head washing, prior to cutting, provides sanitization advantages for fresh-cut Iceberg lettuce (Latuca sativa L.). International journal of food microbiology. 179C. 18-23. 10.1016/j.ijfoodmicro.2014.03.018.
- Shen, C., Y. Luo, X. Nou, Q. Wang and P. Millner. 2013. Dynamic effects of free chlorine concentration, organic load, and exposure time on the inactivation of *Salmonella, Escherichia coli* O157:H7, and non-O157 shiga toxin-producing *E. coli. J. Food Prot.* 76: 386-393.
- 11. Starobin, A., and Foong-Cunningham, S. 2017. Fruit and vegetables washing in food retail environments. Food Protection Trends, 37:70-73.
- 12. Sully, B.D. and P.L. Williams. 1962. The analysis of solutions of per-acids and hydrogen peroxide. Analyst 87: 653-657.
- 13. Suslow, T.V. 2003. Water disinfection: a practical approach to calculating dose values for preharvest and postharvest applications. Pub. 7256. <u>http://anrcatalog.ucanr.edu/pdf/7256.pdf</u>
- 14. Zhang, G., L. Ma, V.H. Phelan and M.P. Doyle. 2009. Efficacy of antimicrobial agents in lettuce leaf processing water for control of Escherichia coli O157:H7. J. Food Prot. 72: 1392-1397.

## Papers reviewed that may be relevant to the charge

- 1. Barrera, J., Maria & Blenkinsop, R & Warriner, Keith. (2012). The effect of different processing parameters on the efficacy of commercial post-harvest washing of minimally processed spinach and shredded lettuce. Food Control. 25. 745–751. 10.1016/j.foodcont.2011.12.013.
- 2. Beuchat, L.R., and Ryu, J.H. 1997. Produce handling and processing practices. Emerg. Inf. Dis. 3:459-465.
- 3. Buchholz, A.L., G. R. Davidson, B.P. Marks, E.C.D. Todd, and E.T. Ryser. 2014. Tracking an *Escherichia coli* O157:H7-contaminated batch of leafy greens through a pilot-scale fresh-cut processing line. *J. Food Prot.* 77: 1487-1494.
- 4. Codex Alimentarius Commission. Code of hygienic practice for fresh fruits and vegetables.
- 5. FAO/WHO. 2008. Microbial hazards in fresh leafy greens and herbs. http://www.who.int/foodsafety/publications/mra\_14/en/
- 6. Gil, M.I., M.V. Selma, F. Lopez-Galvez, and A. Allende. 2009. Fresh-cut product sanitation and wash water disinfection: problems and solutions. *Int. J. Food Microbiol.* 134: 37-45.
- 7. Gorney. 2006. Commodity specific food safety guidelines for the lettuce and leafy green supply chain. <u>https://www.fda.gov/downloads/Food/GuidanceRegulation/UCM169008.pdf</u>
- 8. Harris, Linda & Farber, Jeff & R Beuchat, L & Parish, Mickey & Suslow, Trevor & H Garrett, E & Busta, Francis. (2012). Outbreaks Fresh Produce Incidence, Growth, and Survival of Pathogens in Fresh and Fresh- Cut Produce.
- Nou, X., Luo, Y., Hollard, L., Yang, Y., Feng, H., Millner, P., & Shelton, D. (2011). Chlorine Stabilizer T-128 Enhances Efficacy of Chlorine against Cross-Contamination by E. coli O157:H7 and Salmonella in Fresh-Cut Lettuce Processing (3rd ed., Vol. 76). doi:10/11/11
- Pangloli, P., Hung, Y.C., Beuchat, L.R., King, C.H., and Zhao, Z.H. 2009. Reduction of Escherichia coli O157:H7 on produce by use of electrolyzed water under simulated food service operating conditions. J. Food Prot. 72:1851-1861.
- Parish, Mickey & Beuchat, L.R. & Suslow, Trevor & Harris, Linda & Garrett, E.H. & Farber, Jeff & Busta, Francis. (2006). Methods to Reduce/Eliminate Pathogens from Fresh and Fresh-Cut Produce. Comprehensive Reviews in Food Science and Food Safety. 2. 161 - 173. 10.1111/j.1541-4337.2003.tb00033.x.
- Pirovani, Maria & Piagentini, Andrea & Güemes, Daniel & Arkwright, Silvana. (2004). Reduction of chlorine concentration and microbial load during washing-disinfection of shredded lettuce. International Journal of Food Science & Technology. 39. 341 - 347. 10.1111/j.1365-2621.2004.00791.x.
- Van der Linden, Inge & R. Avalos Llano, Karina & Eriksson, Markus & De Vos, Winnok & Damme, Els & Uyttendaele, Mieke & Devlieghere, Frank. (2016). Minimal processing of iceberg lettuce has no substantial influence on the survival, attachment and internalization of E. coli O157 and Salmonella. International Journal of Food Microbiology. 238. . 10.1016/j.ijfoodmicro.2016.07.029.
- 14. Zhou, B., Y. Luo, X. Nou, S. Lyu, and Q. Wang. 2015. Inactivation dynamics of *Salmonella enterica, Listeria monocytogenes,* and *Escherichia* coli O157:H7 in wash water during simulated chlorine depletion and replenishment processes. *Food Microbiol.* 50: 88-96.

## Papers reviewed and found not to be relevant to the charge

- Beuchat, L.R. 1998. Surface Decontamination of Fruits Eaten Raw: A Review. Food Safe Issue, (N° WHO/FSF/FOS/98.2) Food Safe Issue World Health Organization, Genève. 42 p. http://apps.who.int/iris/bitstream/10665/64435/1/WHO\_FSF\_FOS\_98.2.pdf
- 2. FDA. Program information manual: retail food protection storage and handling of tomatoes. <u>https://www.fda.gov/Food/GuidanceRegulation/RetailFoodProtection/IndustryandRegulatoryAssi</u> <u>stanceandTrainingResources/ucm113843.htm</u>
- Hilgren, J.D. & Salverda, J.A. 2000. Antimicrobial Efficacy of a Peroxyacetic/Octanoic Acid Mixture in Fresh-Cut-Vegetable Process Waters. Journal of Food Science. 65. 1376 - 1379. 10.1111/j.1365-2621.2000.tb10615.x.
- 4. Hoelzer, Karin & Pouillot, Regis & Doren, Jane & Dennis, S. 2014). Reduction of Listeria monocytogenes contamination on produce A quantitative analysis of common liquid fresh produce wash compounds. Food Control. 46. 430-440. 10.1016/j.foodcont.2014.06.011.
- 5. Luo, Sunny. 2007. Fresh-cut Produce Wash Water Reuse Affects Water Quality and Packaged Product Quality and Microbial Growth in Romaine Lettuce. HortScience. 42.
- 6. Luo, Y. 2007. Fresh-cut produce wash water reuse affects water quality and packaged product quality and microbial growth in Romaine lettuce. *HortSci.* 42: 1413-1419.
- Luo, Y., X. Nou, P. Millner, B. Zhou, C. Shen, Y. Yang, Y. Wu, Q. Wang, H. Feng, and D. Shelton. 2012. A pilot plant scale evaluation of a new process aid for enhancing chlorine efficacy against pathogen survival and cross-contamination during produce wash. *Int. J. Food Microbiol.* 158:133-139.
- Nou, Xiangwu. 2015. Novel Wash Aid T-128 Enhances the Efficacy of Chlorine against Salmonella on Tomatoes. Journal of Microbiology & Experimentation. 2. . 10.15406/jmen.2015.02.00065.
- 9. T.V. Suslow, M.P. Oria, L.R. Beuchat, E.H. Garrett, M.E. Parish, L.J. Harris, J.N. Farber, F.F. Busta. 2003. Production practices as risk factors: microbial food safety of fresh and fresh cut produce. Comp. Rev. Food Sci. and Food Safety. 2:38-77.
- YD, Han & Sherman, Debby & Linton, R.H & Nielsen, S.S & Nelson, P.E. 2000. The effects of washing and chlorine dioxide gas on survival and attachment of Escherichia coli O157: H7 to green pepper surfaces. Food Microbiology. 17. 521–533. 10.1006/fmic.2000.0343.
- 11. Zhang, Longteng & Li, Qian & Shi, Jing & Zhu, Beiwei & Luo, Yongkang. 2017. Changes in chemical interactions and gel properties of heat-induced surimi gels from silver carp (Hypophthalmichthys molitrix) fillets during setting and heating: Effects of different washing solutions. Food Hydrocolloids. 10.1016/j.foodhyd.2017.09.007.
- Zhang, Xuan-ming & Zhang, Xuan & Luo, Xu & Guo, Hai-tao & Zhang, Li-qun & Guo, Ji-wei. 2017. Knowledge mapping visualization analysis of the military health and medicine papers published in the web of science over the past 10 years. Military Medical Research. 4. . 10.1186/s40779-017-0131-8.